

# **SAFETY DATA SHEET**

FluoroFix

Section 1. Identif	Section 1. Identification		
Product identifier	: FluoroFix		
Product code	: N/A		
Other means of identification	: Not available.		
Product type	: Liquid.		
Relevant identified uses of	the substance or mixture and uses advised against		
Product use	: Research.		
Area of application	: Industrial applications.		
Supplier/Manufacturer	: BioLegend Inc. 9727 Pacific Heights Blvd. San Diego, CA 92121 – USA Tel: +1-858-455-9588		
e-mail address of person responsible for this SDS	: cs@biolegend.com		
Emergency telephone number (with hours of operation)	: +1-858-455-9588 (7:00AM – 5:00PM PT, M-F)		
Section 2. Hazard	l identification		
Classification of the substance or mixture	: H332 ACUTE TOXICITY (inhalation) - Category 4 H317 SKIN SENSITIZATION - Category 1 H341 GERM CELL MUTAGENICITY - Category 2 H350 CARCINOGENICITY - Category 1		
GHS label elements			
Hazard pictograms			
Signal word	: Danger		
Hazard statements	<ul> <li>H332 - Harmful if inhaled.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H350 - May cause cancer.</li> <li>H341 - Suspected of causing genetic defects.</li> </ul>		
Precautionary statements			
Prevention	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.</li> </ul>		

P271 - Use only outdoors or in a well-ventilated area.

- P261 Avoid breathing vapor.
- P272 Contaminated work clothing should not be allowed out of the workplace.

## Section 2. Hazard identification

Response	<ul> <li>P308 + P313 - IF exposed or concerned: Get medical attention.</li> <li>P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.</li> <li>P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical attention.</li> </ul>
Storage	: P405 - Store locked up.
Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

Ingredient name	% (w/w)	CAS number
Formaldehyde, solution	4	50-00-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

### Description of necessary first aid measures

Eye contact :	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation :	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact :	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion :	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/effe	cts, acute and delayed
Potential acute health effects	
Eye contact :	No known significant effects or critical hazards.

Date of issue/Date of revision : 14/02	017 Date of previous issue	: No previous validation	Version : 1	2/11
--	----------------------------	--------------------------	-------------	------

## Section 4. First-aid measures

Inhalation	: Harmful if inhaled.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### Section 6. Accidental release measures

For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

**Occupational exposure limits** 

## Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Formaldehyde, solution	CA Alberta Provincial (Canada, 4/2009). C: 1.3 mg/m <sup>3</sup> 8 hrs OEL: 0.75 ppm 8 hours. 8 hrs OEL: 0.9 mg/m <sup>3</sup> 8 hours. C: 1 ppm CA British Columbia Provincial (Canada, 5/2015). Skin sensitizer. TWA: 0.3 ppm 8 hours. C: 1 ppm 15 minutes. CA Quebec Provincial (Canada, 1/2014). STEV: 2 ppm 15 minutes. STEV: 3 mg/m <sup>3</sup> 15 minutes. CA Ontario Provincial (Canada, 7/2015). C: 1.5 ppm STEL: 1 ppm 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). Skin sensitizer. CEIL: 0.3 ppm
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>s</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, befor eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Section 8. Exposure controls/personal protection

#### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	:	Liquid. [Clear.]
Color	1	Colorless.
Odor	1	Not available.
Odor threshold	:	Not available.
рН	1	7.2
Melting point	1	Not available.
Boiling point	1	Not available.
Flash point	1	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not applicable.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	:	Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

6/11

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Formaldehyde, solution	LC50 Inhalation Vapor	Rat	578 mg/m³	4 hours
	LD50 Dermal	Rabbit	270 mg/kg	-
	LD50 Oral	Rat	100 mg/kg	-

**Conclusion/Summary** : Not available.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Formaldehyde, solution	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	750 Micrograms	-
	Skin - Severe irritant	Rabbit	-	24 hours 2 milligrams	-

Conclusion/Summary		
Skin	:	Not available.
Eyes	:	Not available.
Respiratory	:	Not available.
Sensitization		
Conclusion/Summary		
Skin	:	Not available.
Respiratory	:	Not available.
Mutagenicity		
<b>Conclusion/Summary</b>	:	Not available.
<b>Carcinogenicity</b>		
<b>Conclusion/Summary</b>	:	Not available.
Reproductive toxicity		
<b>Conclusion/Summary</b>	:	Not available.
Teratogenicity		
<b>Conclusion/Summary</b>	:	Not available.
Specific target organ toxic	city (	<u>single exposure)</u>

Name		Route of exposure	Target organs
Formaldehyde, solution	Category 3		Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

### Information on the likely : Routes of e

: Routes of entry anticipated: Oral, Dermal, Inhalation.

### routes of exposure

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: Harmful if inhaled.
Skin contact	: May cause an allergic skin reaction.

Date of issue/Date of revision

: No previous validation

## Section 11. Toxicological information

### Ingestion

: No known significant effects or critical hazards.

Symptom:	s related	to the p	hysical,	chemical	and	toxicological characteristics
_						

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effect	ts	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Long term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe	ect	<u>s</u>
<b>Conclusion/Summary</b>	:	Not available.
General	1	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	:	Suspected of causing genetic defects.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	1	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Dermal	2598 mg/kg 7014.6 mg/kg 15.02 mg/l

## Section 12. Ecological information

Toxicity					
Product/ingredient name	Result	Species	Exposure		
Formaldehyde, solution	Acute EC50 3.48 mg/l Fresh water	Algae - Desmodesmus subspicatus	72 hours		
	Acute EC50 0.788 mg/l Marine water	Algae - Ulva pertusa	96 hours		
	Acute EC50 12.98 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours		
	Acute EC50 14000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours		
	Acute LC50 1.41 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours		
	Chronic NOEC 0.005 mg/l Marine water	Algae - Isochrysis galbana - Exponential growth phase	96 hours		
	Chronic NOEC 953.9 ppm Fresh water	Fish - Oncorhynchus	43 days		
Date of issue/Date of revision	: 14/02/2017 Date of previous issue	: No previous validation Version	:1 8/		

## Section 12. Ecological information

**Conclusion/Summary** 

: Not available.

tshawytscha - Egg

### Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
Formaldehyde, solution	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28	days	-	-
Conclusion/Summary	: Not available.				
Product/ingredient name	Aquatic half-life	Aquatic half-life		S	Biodegradability
Formaldehyde, solution	-		-		Readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Formaldehyde, solution	0.35	-	low

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

#### **Other adverse effects** : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled
	material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	TDG Classification	DOT Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	UN3082	Not regulated.	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, solution)	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, solution)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, solution)	Environmentally hazardous substance, liquid, n.o.s. (Formaldehyde, solution)
Date of issue/Date of revision : 14/02/2017 Date of previous issue : No previous validation Version : 1 9/1					

## Section 14 Transport information

	manoportin	nformation			
Transport hazard class(es)		-	9	9	9
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	× ×	¥2
Packing group	Ш	-	Ш	Ш	ш
Environmental hazards	Yes.	No.	Yes.	Yes.	Yes.
Additional information	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2. 43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail. <u>Explosive Limit</u> <u>and Limited</u> <u>Quantity Index</u> 5 <u>Special</u> <u>provisions</u> 16, 99		This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1. 1.1, 4.1.1.2 and 4. 1.1.4 to 4.1.1.8. Hazard identification number 90 Limited quantity 5 L Special provisions 274, 335, 601, 375 Tunnel code (E)	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1. 1.1, 4.1.1.2 and 4. 1.1.4 to 4.1.1.8. Emergency schedules (EmS) F-A, S-F Special provisions 274, 335, 969	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0. 2.4.1, 5.0.2.6.1.1 and 5.0.2.8. Passenger and Cargo Aircraft Quantity limitation 450 L Packaging instructions: 964 Cargo Aircraft Only Quantity limitation: 450 L Packaging instructions: 964 Limited Quantities - Passenger Aircraft Quantity limitation: 30 kg Packaging instructions: Y964 Special provisions A97, A158, A197

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Date of issue/Date of revision

: 14/02/2017 Date of previous issue : No previous validation

Canada

### Section 15. Regulatory information

#### <u>Canadian lists</u> Canadian NPRI

**Canada inventory** 

- : The following components are listed: Formaldehyde
- **CEPA Toxic substances**
- : The following components are listed: Formaldehyde : All components are listed or exempted.

### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

### Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

## UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 14/02/2017
Date of previous issue	: No previous validation
Version	: 1
Prepared by	: Sphera Solutions
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations HPR = Hazardous Products Regulations</li> </ul>

### Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2	Calculation method Calculation method Calculation method Calculation method

#### **References** : HPR = Hazardous Products Regulations

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision