

# **SAFETY DATA SHEET**

Recombinant Proteins with < 10% Acetonitrile

## Section 1. Identification

Product identifier	: Recombinant Proteins with < 10% Acetonitrile
Product code	: Not available.
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of th	e substance or mixture and uses advised against
Product use	: Research.
Area of application	: Industrial applications.
Manufacturer Supplier's details	<ul> <li>BioLegend Inc. 8999 BioLegend Way San Diego, CA 92121 – USA Tel: +1-858-455-9588 (7:00AM – 5:00PM PT, M-F)</li> <li>RSM Australia Pty Ltd – On Behalf of BioLegend, Inc. Level 21, 55 Collins Street Melbourne VIC 3000</li> </ul>
	PO Box 248, Collins Street West VIC 8007 Phone: +61 (0) 3 9286 8040 Fax: +61 (0) 3 9286 8199
e-mail address of person responsible for this SDS	: cs@biolegend.com
Emergency telephone number (with hours of operation)	: +61 (0) 3 9286 8040 (24 hours)

# Section 2. Hazard(s) identification

Classification of the substance or mixture	: FLAMMABLE LIQUIDS - Category 3
GHS label elements	
Hazard pictograms	
Signal word	: WARNING
Hazard statements	: H226 - Flammable liquid and vapour.
Precautionary statement	<u>S</u>
Prevention	: ₱210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Response	: Not applicable.
Storage	: Not applicable.
Date of issue/Date of revision	: 01/12/2023 Date of previous issue : 18/11/2021 Version : 2 1/12

## Section 2. Hazard(s) identification

Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Supplemental label elements	: Not applicable.
Other hazards which do not result in classification	: None known.

## Section 3. Composition and ingredient information

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

Ingredient name	% (w/w)	CAS number
zcetonitrile	≤10	75-05-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	<ul> <li>Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: ₩ash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

#### Most important symptoms/effects, acute and delayed

Potential acute health ef	<u>fects</u>					
Eye contact	: No knowr	n significant effects or critic	al hazards.			
Inhalation	: No knowr	n significant effects or critic	al hazards.			
Skin contact	: No knowr	n significant effects or critic	al hazards.			
Ingestion	: No knowr	n significant effects or critic	al hazards.			
Over-exposure signs/syr	<u>nptoms</u>					
Eye contact	: No specif	ïc data.				
Inhalation	: No specif	ïc data.				
Skin contact	: No specif	ïc data.				
Date of issue/Date of revision	: 01/12/2023	Date of previous issue	: 18/11/2021	Version	:2	2/12

## Section 4. First aid measures

Ingestion

```
: No specific data.
```

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: $\mathbf{M}$ of action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides hydrogen cyanide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
Hazchem code	: •3Y

## Section 6. Accidental release measures

Personal precautions, prote	ctive equipm	ent and emergency proce	<u>dures</u>	
For non-emergency personnel	Evacuat entering	n shall be taken involving an e surrounding areas. Keep u . Do not touch or walk throug s, smoking or flames in haza .nt.	unnecessary and un gh spilt material. Sh	protected personnel from out off all ignition sources.
For emergency responders	informat	lised clothing is required to c ion in Section 8 on suitable a ion in "For non-emergency p	and unsuitable mater	
Environmental precautions	and sew	spersal of spilt material and r ers. Inform the relevant auth (sewers, waterways, soil or	norities if the produc	
Date of issue/Date of revision	: 01/12/2023	Date of previous issue	: 18/11/2021	Version : 2 3/12

## Section 6. Accidental release measures

#### Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

Control parameters

**Occupational exposure limits** 

Date of previous issue

## Section 8. Exposure controls and personal protection

Ingredient name	Exposure limits		
cetonitrile	Safe Work Australia (Australia, 10/2022). Absorbed through skin. STEL: 101 mg/m <sup>3</sup> 15 minutes. STEL: 60 ppm 15 minutes. TWA: 67 mg/m <sup>3</sup> 8 hours. TWA: 40 ppm 8 hours.		

#### **Biological exposure indices**

None known.

Appropriate engineering controls
 Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls
 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection mea	<u>sures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists,

gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Rody protection	. Personal protective equipment for the body should be selected based on the task

Body protection
 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision         : 01/12/2023         Date of previous issue         : 18/11/2021         Version	:2	5/12
---	----	------

## Section 8. Exposure controls and personal protection

#### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance									
Physical state	:	<mark>⊠</mark> quid. [Clear.]							
Colour	:	None.							
Odour	:	Ether-like. [Slight]							
Odour threshold	:	Not available.							
рН	:	2.14							
Melting point/freezing point	:	Not available.							
Boiling point, initial boiling point, and boiling range	:	Not available.							
Flash point	:	Closed cup: 30°C (8	6°F)						
Flammability	:	Not available.							
Lower and upper explosion limit/flammability limit	1	Not available.							
Vapour pressure	;		Vapou	ur Press	sure at 20°C	Vapo	Vapour pressure at 50°C		
		Ingredient name	mm Hg	kPa	Method	mm	kPa	Method	
						Hg			
		water	17.5	2.3		<b>Hg</b> 92.258	12.3		
Relative vapour density	:					-	12.3		
Relative vapour density Relative density		<b>W</b> ater				-	12.3		
		water Not available.				-	12.3		
Relative density		Mot available. Not available. Not available. Not available.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n-	:	Water Not available. Not available. Not available.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not applicable.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature		Not available. Not available. Not available. Not available. Not applicable.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Mot available. Not available. Not available. Not available. Not applicable. Not available. Not available.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity		Mot available. Not available. Not available. Not available. Not applicable. Not available. Not available.				-	12.3		
Relative density Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity <u>Particle characteristics</u>		Vot available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.				-	12.3		

properties comments

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Avoid high temperatures. Keep away from heat and direct sunlight.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute	toxicity	

Product/ingredient name	Result	Species	Dose	Exposure
zcetonitrile	LC50 Inhalation Gas.	Rat	17100 ppm	4 hours
	LD50 Dermal	Rabbit	980 mg/kg	-
	LD50 Oral	Rat	2460 mg/kg	-

**Conclusion/Summary** : Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Respiratory <u>Sensitisation</u>					
Conclusion/Summary					
Skin	: Not availa	ble.			
Respiratory	: Not availa	ble.			
<b>Mutagenicity</b>					
<b>Conclusion/Summary</b>	: Not availa	ble.			
<b>Carcinogenicity</b>					
<b>Conclusion/Summary</b>	: Not availa	ble.			
Reproductive toxicity					
Date of issue/Date of revision	: 01/12/2023	Date of previous issue	: 18/11/2021	Version : 2	7/12

# Section 11. Toxicological information

	5
Conclusion/Summary	: Not available.
<u>Teratogenicity</u>	
<b>Conclusion/Summary</b>	: Not available.
Specific target organ toxicit	t <u>y (single exposure)</u>
Not available.	
Specific target organ toxicit	t <u>y (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Information on likely routes of exposure	: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Potential acute health effects	
Eye contact	₂ . No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
ingestion	
Symptoms related to the phy	sical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Date of issue/Date of revision

# Section 11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Recombinant Proteins with < 10% Acetonitrile acetonitrile	6309.9	13881.9	215800.1	N/A	N/A
	500	1100	17100	N/A	N/A

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
cetonitrile	Acute IC50 3685000 µg/l Fresh water Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water	Aquatic plants - <i>Lemna minor</i> Daphnia - <i>Daphnia magna</i> Fish - <i>Pimephales promelas</i> Aquatic plants - <i>Lemna minor</i> Daphnia - <i>Daphnia magna</i>	96 hours 48 hours 96 hours 96 hours 21 days
Conclusion/Summary	: Not available.	•	1

#### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
cetonitrile	OECD 301C Ready Biodegradability - Modified MITI Test (I)	65 % - Readily - 28 days	-	Activated sludge
Conclusion/Summary	: Not available.			

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
acetonitrile	-	-	Readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
acetonitrile	-0.34	-	Low

Mobility in soil Soil/water partition coefficient (Koc)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Date	of i	issue/	Date	of	revision	
Dute	011	3346/	Dute	01	i cvision	

## Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	ADG	ADR/RID	IMDG	IATA
UN number	UN1993	UN1993	UN1993	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (acetonitrile)	FLAMMABLE LIQUID, N.O.S. (acetonitrile)	FLAMMABLE LIQUID, N.O.S. (acetonitrile)	Flammable liquid, n.o. s. (acetonitrile)
Transport hazard class(es)	3	3	3	3
Packing group	Ш	111	111	111
Environmental hazards	No.	No.	No.	No.
Additional informat	ion	1	1	1
ADG	: <u>Hazchem o</u> <u>Special pro</u>	<u>code</u> •3Y ovisions 223, 274		
ADR/RID	Limited qu	ovisions 274, 601		
IMDG		<u>y schedules</u> F-E, _S-E_ ovisions 223, 274, 955		
ΙΑΤΑ	355. Cargo Passenger	<u>mitation</u> Passenger and o Aircraft Only: 220 L. Pa Aircraft: 10 L. Packaging ovisions A3	ckaging instructions: 366	

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision	: 01/12/2023	Date of previous issue	: 18/11/2021	Version : 2	10/12
--------------------------------	--------------	------------------------	--------------	-------------	-------

## Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

## Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

#### 5

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Australia inventory (AIIC) : Not determined.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

#### Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

## Section 16. Any other relevant information

<u>History</u>	
Date of issue/Date of revision	: 01/12/2023
Date of previous issue	: 18/11/2021
Version	: 2
Prepared by	: Sphera Solutions
Key to abbreviations	<ul> <li>ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations</li> </ul>

#### Procedure used to derive the classification

Date of issue/Date of revision	: 01/12/2023	Date of previous issue	: 18/11/2021	Version : 2	11/12

## Section 16. Any other relevant information

	Classification	Justification
AMMABLE LIQUID	S - Category 3	On basis of test data
References	: Work Health and Safety Regulations 2011, as amn Preparation of Safety Data Sheets for Hazardous C Work Australia Australian Code for the Transport of Dangerous Go National Transport Commission	hemicals, Code of Practice, Safe

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of	f issue/Date	of revision	: (